

■定格総荷重表

■50.00mタワー

(単位: t)

| 作業半径 (m) | タワージブ長さ (m) | | | | | | | | | | | | | | | |
|-------------|-------------|----------|-----------|-----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|----------|----------|----------|-----|
| | 22.85 | | | | | | | | 25.90 | | | | | | | |
| | タワー角度 (°) | | | | 70 | | | | タワー角度 (°) | | | | 70 | | | |
| | 90 | | 80 | | 70 | | 60 | | 90 | | 80 | | 70 | | 60 | |
| | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 |
| 9.2 | | | | | | | | | | | | | | | | |
| 10.0 | | | | | | | | | 16.0 | 11.0/10.5 | | | | | | |
| 12.0 | 17.0 | 11.0 | | | | | | | 16.0 | 11.0 | | | | | | |
| 14.0 | 17.0 | 11.0 | | | | | | | 16.0 | 11.0 | | | | | | |
| 15.0 | 17.0 | 11.0 | | | | | | | 16.0 | 11.0 | | | | | | |
| 16.0 | 16.6 | 11.0 | | | | | | | 16.0 | 11.0 | | | | | | |
| 18.0 | 14.4 | 11.0 | | | | | | | 14.3 | 11.0 | | | | | | |
| 20.0 | 12.7 | 11.0 | 12.4/20.4 | 11.0/21.0 | | | | | 12.6 | 11.0 | 11.6/21.6 | | | | | |
| 22.0 | 11.4 | 11.0 | 11.4 | 11.0 | | | | | 11.3 | 11.0 | 11.3 | 11.0/22.1 | | | | |
| 24.0 | 10.3 | 10.3 | 10.3 | 10.3 | | | | | 10.2 | 10.2 | 10.2 | 10.2 | | | | |
| 26.0 | 8.9/24.6 | 8.9/25.6 | 9.3 | 9.3 | | | | | 9.3 | 9.3 | 9.3 | 9.3 | | | | |
| 28.0 | | | 8.5 | 8.5 | | | | | 7.8/27.5 | 7.8 | 8.5 | 8.5 | | | | |
| 30.0 | | | 7.8 | 7.8 | | | | | 7.8 | 7.8 | 7.8 | 7.8 | | | | |
| 32.0 | | | 7.2 | 7.2 | 7.2/32.2 | 7.0/32.9 | | | 7.2 | 7.2 | 7.2 | 6.7/33.8 | | | | |
| 34.0 | | | 6.9/33.2 | 6.7 | 6.7 | 6.7 | | | | 6.6 | 6.6 | 6.6 | 6.5/34.5 | | | |
| 36.0 | | | | 6.7/34.2 | 6.2 | 6.2 | | | | 6.2 | 6.2 | 6.2 | 6.2 | | | |
| 38.0 | | | | | 5.7 | 5.7 | | | | | 6.2/36.2 | 5.9/37.2 | | | | |
| 40.0 | | | | | 5.3 | 5.3 | | | | | | 5.3 | 5.3 | | | |
| 42.0 | | | | | 5.1/41.6 | 5.0 | 4.0/43.0 | 4.0/43.8 | | | | 5.0 | 5.0 | | | |
| 44.0 | | | | | | 4.8/42.6 | 3.9 | 3.9 | | | | 4.6 | 4.6 | 3.6/45.0 | 3.5/45.8 | |
| 46.0 | | | | | | | 3.7 | 3.7 | | | | 4.5/44.5 | 4.3/45.5 | 3.3 | 3.3 | |
| 48.0 | | | | | | | 3.4 | 3.4 | | | | | | 3.0 | 3.0 | |
| 50.0 | | | | | | | 3.3/49.3 | 3.3 | | | | | | 2.8 | 2.8 | |
| 52.0 | | | | | | | | 3.3/50.3 | | | | | | | | |
| 54.0 | | | | | | | | | | | | | | 2.8/52.3 | 2.8/53.3 | |

(単位: t)

| 作業半径 (m) | タワージブ長さ (m) | | | | | | | | | | | | | | | |
|-------------|-------------|-----------|-----------|-----------|----------|----------|----------|----------|-----------|-----------|-----------|----------|----------|----------|----------|----------|
| | 28.95 | | | | | | | | 32.00 | | | | | | | |
| | タワー角度 (°) | | | | 70 | | | | タワー角度 (°) | | | | 70 | | | |
| | 90 | | 80 | | 70 | | 60 | | 90 | | 80 | | 70 | | 60 | |
| | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 |
| 9.2 | | | | | | | | | | | | | | | | |
| 10.0 | 15.0/10.8 | 11.0/11.3 | | | | | | | 14.0/11.6 | | | | | | | |
| 12.0 | 15.0 | 11.0 | | | | | | | 14.0 | 11.0/12.1 | | | | | | |
| 14.0 | 15.0 | 11.0 | | | | | | | 14.0 | 11.0 | | | | | | |
| 15.0 | 15.0 | 11.0 | | | | | | | 14.0 | 11.0 | | | | | | |
| 16.0 | 15.0 | 11.0 | | | | | | | 14.0 | 11.0 | | | | | | |
| 18.0 | 14.2 | 11.0 | | | | | | | 14.0 | 11.0 | | | | | | |
| 20.0 | 12.5 | 11.0 | | | | | | | 12.4 | 11.0 | | | | | | |
| 22.0 | 11.2 | 11.0 | 10.8/22.7 | 10.5/23.3 | | | | | 11.1 | 11.0 | 10.2/23.8 | | | | | |
| 24.0 | 10.1 | 10.1 | 10.1 | 10.1 | | | | | 10.1 | 10.1 | 10.1 | 9.9/24.4 | | | | |
| 26.0 | 9.2 | 9.2 | 9.2 | 9.2 | | | | | 9.2 | 9.2 | 9.2 | 9.2 | | | | |
| 28.0 | 8.4 | 8.4 | 8.4 | 8.4 | | | | | 8.4 | 8.4 | 8.4 | 8.4 | | | | |
| 30.0 | 7.4 | 7.4 | 7.8 | 7.8 | | | | | 7.7 | 7.7 | 7.7 | 7.7 | | | | |
| 32.0 | 6.8/30.4 | 6.8/31.4 | 7.2 | 7.2 | | | | | 7.1 | 7.1 | 7.1 | 7.1 | | | | |
| 34.0 | | | 6.6 | 6.6 | 6.3/35.4 | | | | 5.8/33.4 | 5.8 | 6.6 | 6.6 | | | | |
| 36.0 | | | 6.2 | 6.2 | 6.2 | 6.2/36.1 | | | | 5.8/34.4 | 6.1 | 6.1 | 5.9/37.0 | 5.8/37.7 | | |
| 38.0 | | | 5.7 | 5.7 | 5.7 | 5.7 | | | | | 5.7 | 5.7 | 5.7 | 5.7 | | |
| 40.0 | | | 5.5/39.1 | 5.3 | 5.3 | 5.3 | | | | | 5.3 | 5.3 | 5.3 | 5.3 | | |
| 42.0 | | | | 5.3/40.1 | 5.0 | 5.0 | | | | | 5.0 | 5.0 | 5.0 | 5.0 | | |
| 44.0 | | | | | 4.6 | 4.6 | | | | | | 4.8/43.0 | 4.6 | 4.6 | | |
| 46.0 | | | | | 4.3 | 4.3 | 3.1/47.1 | 3.0/47.9 | | | | | 4.3 | 4.3 | | |
| 48.0 | | | | | 4.2/47.4 | 4.1 | 3.0 | 3.0 | | | | | 4.0 | 4.0 | 2.7/49.1 | 2.7/49.9 |
| 50.0 | | | | | | 3.9/48.4 | 2.8 | 2.8 | | | | | 3.8 | 3.8 | 2.7 | 2.7 |
| 52.0 | | | | | | | 2.6 | 2.6 | | | | | 3.7/50.4 | 3.6/51.4 | 2.5 | 2.5 |
| 54.0 | | | | | | | 2.4 | 2.4 | | | | | | 2.3 | 2.3 | |
| 56.0 | | | | | | | 2.3/55.2 | 2.3 | | | | | | 2.1 | 2.1 | |
| 58.0 | | | | | | | | 2.3/56.2 | | | | | | 2.0 | 2.0 | |
| 60.0 | | | | | | | | | | | | | | 2.0/56.2 | 2.0/59.2 | |

(単位: t)

| 作業半径 (m) | タワージブ長さ (m) | | | | | | | | | | | |
|-------------|-------------|-----------|----------|----------|----------|----------|-----------|-----------|----------|----------|----------|----------|
| | 35.05 | | | | | | 38.10 | | | | | |
| | タワー角度 (°) | | | 70 | | | タワー角度 (°) | | | 70 | | |
| | 90 | | 80 | | 70 | | 90 | | 80 | | 70 | |
| | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 |
| 9.2 | | | | | | | | | | | | |
| 10.0 | | | | | | | | | | | | |
| 12.0 | 12.5/12.4 | 11.0/12.9 | | | | | 11.0/13.2 | 11.0/13.6 | | | | |
| 14.0 | 12.5 | 11.0 | | | | | 11.0 | 11.0 | | | | |
| 15.0 | 12.5 | 11.0 | | | | | 11.0 | 11.0 | | | | |
| 16.0 | 12.5 | 11.0 | | | | | 11.0 | 11.0 | | | | |
| 18.0 | 12.5 | 11.0 | | | | | 11.0 | 11.0 | | | | |
| 20.0 | 12.4 | 11.0 | | | | | 11.0 | 11.0 | | | | |
| 22.0 | 11.1 | 11.0 | | | | | 11.0 | 11.0 | | | | |
| 24.0 | 10.0 | 10.0 | 9.6/25.0 | 9.3/25.6 | | | 9.9 | 9.9 | | | | |
| 26.0 | 9.1 | 9.1 | 9.1 | 9.1 | | | 9.0 | 9.0 | 9.0/26.1 | 8.8/26.7 | | |
| 28.0 | 8.3 | 8.3 | 8.3 | 8.3 | | | 8.3 | 8.3 | 8.3 | 8.3 | | |
| 30.0 | 7.7 | 7.7 | 7.7 | 7.7 | | | 7.6 | 7.6 | 7.6 | 7.6 | | |
| 32.0 | 7.1 | 7.1 | 7.1 | 7.1 | | | 7.0 | 7.0 | 7.0 | 7.0 | | |
| 34.0 | 6.6 | 6.6 | 6.6 | 6.6 | | | 6.5 | 6.5 | 6.5 | 6.5 | | |
| 36.0 | 5.4 | 5.4 | 6.1 | 6.1 | | | 6.1 | 6.1 | 6.1 | 6.1 | | |
| 38.0 | 5.1/36.3 | 5.1/37.3 | 5.7 | 5.7 | 5.5/36.6 | 5.4/39.3 | 5.5 | 5.5 | 5.6 | 5.6 | | |
| 40.0 | | | 5.3 | 5.3 | 5.2 | 5.2 | 4.4/39.3 | 4.4 | 5.3 | 5.3 | 5.1/40.2 | 5.0/40.9 |
| 42.0 | | | | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.8 | 4.8 |
| 44.0 | | | | 4.6 | 4.6 | 4.5 | 4.5 | | 4.6 | 4.6 | 4.4 | 4.4 |
| 46.0 | | | | 4.5/45.0 | 4.3 | 4.3 | 4.3 | | 4.3 | 4.3 | 4.1 | 4.1 |
| 48.0 | | | | | 4.0 | 4.0 | | | 4.0/47.9 | 4.0 | 3.9 | 3.9 |
| 50.0 | | | | | 3.8 | 3.8 | | | | 3.9/49.9 | 3.6 | 3.6 |
| 52.0 | | | | | 3.5 | 3.5 | | | | | 3.4 | 3.4 |
| 54.0 | | | | | 3.3/53.3 | 3.3 | | | | | 3.2 | 3.2 |
| 56.0 | | | | | | 3.3/54.3 | | | | | 3.0 | 3.0 |
| 58.0 | | | | | | | | | | | 3.0/56.3 | 3.0/57.3 |

(単位: t)

| 作業半径 (m) | タワージブ長さ (m) | | | | | | | | | | | |
|-------------|-------------|----------|----------|----------|----------|----------|-----------|----------|----------|----------|----------|-----|
| | 41.15 | | | | | | 44.20 | | | | | |
| | タワー角度 (°) | | | 70 | | | タワー角度 (°) | | | 70 | | |
| | 90 | | 80 | | 70 | | 90 | | 80 | | 70 | |
| | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 | 2本掛 | 1本掛 |
| 9.2 | | | | | | | | | | | | |
| 10.0 | | | | | | | | | | | | |
| 12.0 | | | | | | | | | | | | |
| 14.0 | 9.5 | 9.5/14.4 | | | | | 8.0/14.7 | | | | | |
| 15.0 | 9.5 | 9.5 | | | | | 8.0 | 8.0/15.2 | | | | |
| 16.0 | 9.5 | 9.5 | | | | | 8.0 | 8.0 | | | | |
| 18.0 | 9.5 | 9.5 | | | | | 8.0 | 8.0 | | | | |
| 20.0 | 9.5 | 9.5 | | | | | 8.0 | 8.0 | | | | |
| 22.0 | 9.0 | 9.0 | | | | | 8.0 | 8.0 | | | | |
| 24.0 | 8.1 | 8.1 | | | | | 8.0 | 8.0 | | | | |
| 26.0 | 7.4 | 7.4 | 8.5/27.3 | 8.3/27.8 | | | 7.4 | 7.4 | | | | |
| 28.0 | 6.7 | 6.7 | 8.2 | 8.2 | | | 6.7 | 6.7 | 7.9/28.4 | 7.8/29.0 | | |
| 30.0 | 6.1 | 6.1 | 7.8 | 7.8 | | | 6.1 | 6.1 | 7.5 | 7.5 | | |
| 32.0 | 5.6 | 5.6 | 7.0 | 7.0 | | | 5.6 | 5.6 | 6.9 | 6.9 | | |
| 34.0 | 5.2 | 5.2 | 6.5 | 6.5 | | | 5.2 | 5.2 | 6.4 | 6.4 | | |
| 36.0 | 4.9 | 4.9 | 6.0 | 6.0 | | | 4.9 | 4.9 | 5.9 | 5.9 | | |
| 38.0 | 4.6 | 4.6 | 5.6 | 5.6 | | | 4.6 | 4.6 | 5.5 | 5.5 | | |
| 40.0 | 4.4 | 4.4 | 5.2 | 5.2 | 4.7/41.9 | | 4.4 | 4.4 | 5.1 | 5.1 | | |
| 42.0 | 4.0 | 4.0 | 4.9 | 4.9 | 4.6 | 4.6/42.5 | 4.2 | 4.2 | 4.8 | 4.8 | 4.2/43.5 | |
| 44.0 | 3.8/42.2 | 3.7/43.2 | 4.6 | 4.6 | 4.3 | 4.3 | 3.8 | 3.8 | 4.5 | 4.5 | 4.2/44.2 | |
| 46.0 | | | 4.3 | 4.3 | 4.0 | 4.0 | 3.4/45.2 | 3.3 | 4.2 | 4.2 | 3.9 | 3.9 |
| 48.0 | | | 4.0 | 4.0 | 3.8 | 3.8 | | 3.1/46.2 | 3.9 | 3.9 | 3.6 | 3.6 |
| 50.0 | | | 3.7 | 3.7 | 3.5 | 3.5 | | | 3.6 | 3.6 | 3.4 | 3.4 |
| 52.0 | | | 3.6/50.9 | 3.5/51.9 | 3.3 | 3.3 | | | 3.4 | 3.4 | 3.2 | 3.2 |
| 54.0 | | | | | 3.1 | 3.1 | | | 3.1/53.8 | 3.1 | 3.0 | 3.0 |
| 56.0 | | | | | 2.9 | 2.9 | | | | 3.0/54.8 | 2.8 | 2.8 |
| 58.0 | | | | | 2.7 | 2.7 | | | | | 2.6</ | |